



**wateroam**<sup>®</sup>


**ROAMfilter Plus User Guide**  
**Troubleshooting: Bubble Point Test**

© 2020


**BUILDING A WORLD WITHOUT PROLONGED THIRST**

# Key Components of the ROAMfilter Plus:

## Front View





## Back View



**Note:** A detailed version can be found in your ROAMfilter Plus Instruction Manual



# Key Components of the ROAMfilter Plus:



**Note:** A detailed version of the Key Components can be found in your ROAMfilter Plus Instruction Manual

# Purpose of Bubble Point Test

---

- The Bubble Point Test is conducted to **ensure that the system is well sealed without any leakages.**
- If the system fails the Bubble Point Test there may be a leak and the system may not be operating at its optimal capacity.


# Bubble Point Test

## Required materials:



A bucket of clean and pathogen-free water

# Video Tutorial: Bubble Point Test




*Click here for the: [ROAMfilter™ Plus Bubble Point Test video](#)*

# Bubble Point Test

## Important pointers:

1. Recommended to be conducted **once every three months** or **after every reassembly process**.
2. Before conducting the test ensure that the Top Assembly, Bottom Assembly and Drain Valve are **properly tightened**.
3. **Some air bubbles are to be expected** when the system is first submerged into the water. This is not an indication of leakage.



# Thank You

**Any questions?**

**Contact details:**

Phone number: +65 6303 0603

Email: [support@wateroam.com](mailto:support@wateroam.com)